



## Armas Airsoft



## Armas Eléctricas

## **BATERIA ASG 1300mAh 11,1v LIPO**

SKU: 224902

BATERIA ASG 1300mAh 11,1v LIPO  
 Marca ASG  
 Modelo LI-PO 11.1v 1.300 mAh  
 Estructura delgada de celda  
 Reducido tamaño  
 Configuración: 3 células (split cell)  
 Voltaje: 11.1V.  
 Capacidad: 1300mAh.  
 Dimensiones: 21.5x 21.6x 130mm (0,9x0,9x5,2 in)  
 Peso 94 grs  
 EAN 5707843047777

Tamaño compatible con mini baterías tipo.  
 Este paquete es ideal para las actualizaciones de M130 a M160.  
 Reemplaza un paquete de NiMH de 10.8V a 12V.  
 Nunca descargue completamente la batería.  
 Cargue la batería antes de guardarla.

IMPORTANTE: debe usar un cargador Li-Po, sin excepciones.  
 Código cargador LiPo 224910 de Immaval

>>>> DESCRIPCION ORIGINAL DE ASG <<<<

This compact 11.1V Li-Po battery with its slim split-cell construction, allows great flexibility in placing it inside a AEG, even inside SOPMOD/Cranestocks. Despite its small size it still packs 1300mAh. It comes in a handy storage box.

The biggest reasons to use a Li-Po is its smaller size and better power efficiency. Most Li-Po batteries are about the same size as a mini-type battery and is equal in power to a large type NiMH battery. No need for battery slings, battery boxes, or big batteries strapped on to guns. Li-Po is a power source for small carbines, PDW's, SMG's, etc. that doesn't require you to spoil the look of the gun, or run the risk of running out of power in the middle of a battle.

Unlike traditional batteries, Li-Po gives a stable Rate of Fire, Through-out its use. Also, it is not necessary to discharge Li-Po batteries before charging them, allowing the battery to be charged in-between games.

Battery specs:

Configuration: 3 split-cell.

Voltage: 11.1V.

Capacity: 1300mAh.

25C continuous discharge rate of 26 amps with 32.5 amp bursts.

Comes with align balance connector.

Dimensions: 21.5x21.6x130mm (0,9x0,9x5,2 in.)

Size compatible with mini-type batteries.

This pack is ideal for M130 to M160 upgrades.

Replaces a 10.8V to 12V NiMH pack.

Ultra-advanced Li-Po battery technology.

To prolong the life of a Li-Po battery:

Never completely discharge the battery.

Stop using the battery the moment you hear the Rate of Fire goes down.

Charge the battery before storage.

IMPORTANT: you must use a Li-Po charger, no exceptions.

When using Li-Po batteries in upgraded AEG's, it is advisable to have a total upgrade, including spring, cylinder-parts, gears and motor. Simply installing a more powerful spring, and then using a high voltage battery to power the AEG will wreck one or more components in your gearbox.

ULTIMATE motors are designed specifically to power, upgraded AEG's, and are built to handle higher voltage.

WARNINGS

Only use approved LiPo chargers and never use a NiMH or NiCd charger to charge LiPo

Do not pierce the battery

Do not disassemble the battery

Do not short-circuit the battery terminals

Do not connect the battery directly to an electrical outlet

Do not strike or throw the battery against hard surfaces

Do not immerse the battery in water or seawater

Always disconnect the battery immediately after use, charging or discharging and keep the battery in a cool, dry environment during stand-by periods

Do not use, throw or leave the battery near heat source such as fire or heater

Do not dispose of the battery in fire or heat

The battery should not be charged with more than a current of 1C (e.g. a 1200 mAh battery should be charged with 1.2 A (1200 mA)). Charging with higher currents can potentially damage battery cells or even lead to overheating or other serious failures

Stop charging immediately if temperature exceeds 45°C

Stop using battery if temperature exceeds 60°C – Never leave LiPo batteries charging unattended

Always monitor the charging process of your LiPo batteries so that you can react immediately to any potential problems

If your LiPo batteries start to balloon or swell up, discontinue charging/discharging/usage Before and after use of your LiPo batteries, inspect them to ensure that there is no physical damage or swelling as those are signs of imminent failure

Read all instructions on the batteries, box & packaging before use. ActionSportGames recommend the use of a protective ASG battery charging bag (item #17544) when charging your LiPo batteries. Always use an ActionSportGames LiPo battery charger, when charging your ActionSportGames LiPo batteries. ActionSportGames can't recommend use of any third party battery chargers with our LiPo batteries and ActionSportGames assumes no liability for using any third party battery chargers with our LiPo batteries.

Never completely discharge your LiPo battery. Stop immediately when you register a drop in power or rate of fire



**Precio: \$36900**

# BATERIA ASG 1300mAh 7,4v LIPO

SKU: 224900

BATERIA ASG 1300mAh 7,4v LIPO  
 Marca ASG  
 Modelo LI-PO 7.4v 1.300 mAh 17206  
 Estructura delgada de celda  
 Reducido tamaño  
 Configuración: 2 células (split cell)  
 Voltaje: 7.4V.  
 Capacidad: 1300mAh.  
 Dimensiones: 21.5x 21.6x 130mm (0,9×0,9×5,2 in)  
 Peso 65 grs  
 EAN 5707843047760

Tamaño compatible con mini baterías tipo.  
 Este paquete es ideal para las actualizaciones de M130 a M160.  
 Reemplaza un paquete de NiMH de 8.4V a 9.6V.

Nunca descargue completamente la batería.

Cargue la batería antes de guardarla.

IMPORTANTE: debe usar un cargador Li-Po, sin excepciones.

Código cargador LiPo 224910 de Immaval

>>>> DESCRIPCION ORIGINAL DE ASG <<<<

This compact 7.4V Li-Po battery with its slim split-cell construction, lets them be placed practically anywhere in a AEG, even inside stock tubes and SOPMOD/Cranestocks. Despite its small size it still packs 1300mAh. It comes in a handy storage box.

The biggest reasons to use a Li-Po is its smaller size and better power efficiency. Most Li-Po batteries are about the same size as a mini-type battery and is equal in power to a large type NiMH battery. No need for battery slings, battery boxes, or big batteries strapped on to guns.

Li-Po is a power source for small carbines, PDW's, SMG's, etc. that doesn't require you to spoil the look of the gun, or run the risk of running out of power in the middle of a battle.

Unlike traditional batteries, Li-Po gives a stable Rate of Fire, Through-out its use. Also, it is not necessary to discharge Li-Po batteries before charging them, allowing the battery to be charged in-between games.

This battery fits in LMT Defender 2000 series.

ref.16826

ref.16827

Battery specs:

Configuration: 2 split-cell.

Voltage: 7.4V.

Capacity: 1300mAh.

25C continuous discharge rate of 26 amps with 32.5 amp bursts.

Comes with align balance connector.

Dimensions: 21.5x 14.4x 130mm (0,9×0,6×5,2 in.)

Size compatible with mini-type batteries.

This pack is ideal for M90 to M120 upgrades.

Replaces a 8.4V to 9.6V NiMH pack.

Ultra-advanced Li-Po battery technology.

To prolong the life of a Li-Po battery:

Never completely discharge the battery.

Stop using the battery the moment you hear the Rate of Fire goes down.

Charge the battery before storage.

IMPORTANT: you must use a Li-Po charger, no exceptions.

When using Li-Po batteries in upgraded AEG's, it is advisable to have a total upgrade, including spring, cylinder-parts, gears and motor. Simply installing a more powerful spring, and then using a high voltage battery to power the AEG will wreck one or more components in your gearbox.

ULTIMATE motors are designed specifically to power, upgraded AEG's, and are built to handle higher voltage.

WARNINGS

Only use approved LiPo chargers and never use a NiMH or NiCd charger to charge LiPo

Do not pierce the battery

Do not disassemble the battery

Do not short-circuit the battery terminals

Do not connect the battery directly to an electrical outlet

Do not strike or throw the battery against hard surfaces

Do not immerse the battery in water or seawater

Always disconnect the battery immediately after use, charging or discharging and keep the battery in a cool, dry environment during stand-by periods

Do not use, throw or leave the battery near heat source such as fire or heater

Do not dispose of the battery in fire or heat

The battery should not be charged with more than a current of 1C (e.g. a 1200 mAh battery should be charged with 1.2 A (1200 mA)). Charging with higher currents can potentially damage battery cells or even lead to overheating or other serious failures

Stop charging immediately if temperature exceeds 45°C

Stop using battery if temperature exceeds 60°C – Never leave LiPo batteries charging unattended

Always monitor the charging process of your LiPo batteries so that you can react immediately to any potential problems

If your LiPo batteries start to balloon or swell up, discontinue charging/discharging/usage

Before and after use of your LiPo batteries, inspect them to ensure that there is no physical damage or swelling as those are signs of imminent failure

Read all instructions on the batteries, box & packaging before use. ActionSportGames

recommend the use of a protective ASG battery charging bag (item #17544) when charging your LiPo batteries.

Always use an ActionSportGames LiPo battery charger, when charging your ActionSportGames LiPo batteries.

ActionSportGames can't recommend use of any third party battery chargers with our LiPo batteries and ActionSportGames assumes no liability for using any third party battery chargers with our LiPo batteries.

Never completely discharge your LiPo battery. Stop immediately when you register a drop in power or rate of fire



**Precio: \$25500**

## CARGADOR BATERIA ASG MULTIPLE

SKU: 224910



### CARGADOR BATERIA ASG MULTIPLE

Marca ASG

Modelo Auto-stop charger, LiPo LiFe, EU-version, Article ASGnr: 17942

Cargador batería armas eléctricas

Carga las baterías Li-Po y Li-Fe Airsoft

Input Voltage : 100-240V/ AC 50-60Hz

La corriente de carga debe ajustarse manualmente a la batería (1A, 2A, 3A)

use 1A para baterías pequeñas hasta 500mAh,

use 2A para baterías de 500mAh hasta 1500mAh

use 3A para baterías sobre 1500mAh

Durante la carga las celdas se equilibrarán automáticamente

Carga rápida con auto stop

Maneja baterías de 2, 3 y 4 celdas.

Incluye cable de contacto eléctrico

Incluye cable de contacto de batería

Incluye manual en español, inglés y francés

Recuerde leer las instrucciones del cargador y de la batería antes de usar.

Dimensiones: 69.4×110.7×40.50mm

Peso: 320gr

Advertencias

-No cargue tipo de baterías distintas, puede provocar una exposición o incendio

-Nunca deje el cargador desatendido mientras este conectado a la alimentación eléctrica

-Proteja el cargador de humedad y polvo

-No use el cargador cerca de materiales ni gases inflamables

-Asegure que haya un flujo de aire continuo a través de las ranuras del cargador



**Precio: \$48900**

## BATERIA ASG 1600mAh 9,6v NUNCH

SKU: 224903



### BATERIA ASG 1400mAh 9,6v NUNCH

batería para armas eléctricas airsoft

Marca ASG

Modelo Nunchacus 18621

(se abre la batería como alas para tomar la forma del fusil)

Paquete de baterías NiMH

Potencia 1400 mAh, 9,6v

NiMH ofrecen una estable entrega de energía durante su uso

Recomendable para alcanzar 110 a 130 m/s de salida

Largo 120 mm, diámetro 36 mm

Peso 208 gr

No necesitan descargarse por completo antes de cargarlas.

puede cargarse rápidamente en tan solo una hora.

Recuerde leer las instrucciones antes de usar.

**AGOTADO**



**Precio: \$36900**

## FUSIL AIRSO ASG AEG CARBI MT18

SKU: 224261

**AGOTADO**



FUSIL AIRSOFT ASG AEG CARBI MT18  
FUSIL AIRSOFT-ELECTRO MECANICO  
MARCA ASG  
MODELO CARABINE MT18  
CALIBRE 6 MM  
BALIN : 0,20gr 0,25gr 0,30gr  
PESO 2.600 gr  
CORREDERA DE ALUMINIO  
COLOR TAN (TORMENTA DEL DESIERTO)  
Tamaño LARGO DE 74 CMS A 89 CMS  
VELOCIDAD SALIDA Cañón 348 fps 110 met/seg  
Potencia 1.2 Joules  
Réplica EXACTA EN FORMA y PESO A MT18 CARABINE  
CARGADOR PARA 300 BALINES  
Cañón 31 CMS FULL METAL  
CUERPO POLIMERO  
MOSFET SYSTEM-CIRUCITO ELECTRONICO MEJORA  
ESTABILIDAD DEL FLUJO DE ENERGIA POR EL SISTEMA DE  
DISPARO, AUMENTANDO EL RENDIMIENTO  
HOP-UP AJUSTABLE  
MIRAS FIJAS  
CUALATIN EXTENSIBLE  
KIT INCLUYE BATERIA DE LITIO RECARGABLE Y  
CARGADOR  
FUSIBLE 25A250V



**Precio: \$188200**

## FUSIL AIRSOFT ASG AEG AK47 M7

SKU: 224252



FUSIL AIRSOFT ASG AEG AK47 M7  
Marca ASG  
Airsoft AEG (Automatic Electric Gun)  
Fusil Airsoft Electro Mecánico  
Réplica en peso y forma de AK47  
Longitud: 925 mm / 36,5 pulgadas  
Longitud del cañón: 455 mm / 18 pulgadas  
revista Capacidad: 450 Rondas  
Batería: 18568  
Estándar mag: 15202  
Hop up tipo: ajustable  
Velocidad: 95ms / 312fps  
Peso: 2445gr / 5,4lb  
Energía: 0,9 julios.  
Recuerde leer las instrucciones antes de usar

AGOTADO



**Precio: \$292200**

## FUSIL AIRSOFT ASG AEG MXR18

SKU: 224260

AGOTADO



FUSIL AIRSOFT ASG AEG MXR18  
 Marca ASG  
 Airsoft AEG (Automatic Electric Gun)  
 Fusil Airsoft Electro Mecánico  
 Réplica en peso y forma de MXR18  
 Longitud: 890-740mm / 32,7-29,1 pulgadas  
 Longitud del cañón: 300 mm / 11,8 pulgadas  
 revista Capacidad: 300 Rondas  
 Batería: 17206  
 Estándar mag: 19095  
 Hop up tipo: ajustable  
 Velocidad: 106ms / 348fps  
 Peso: 2613gr / 5,8lb  
 Energía: 1,1 julios  
 Hop-up ajustable  
 Unidad MOSFET  
 Cuerpo de polímero ligero.  
 Grúa de nuevo diseño  
 Vistas abatibles  
 Recuerde leer las instrucciones antes de usar



**Precio: \$298500**

## FUSIL AIRSOFT ASG FALCN M95 BK

SKU: 224220

AGOTADO



FUSIL AIRSOFT ASG AEG MXR18  
 Marca ASG  
 Línea Sportline  
 Modelo FLCN 5.56 Sportline, diseño moderno y versátil  
 Airsoft AEG (Automatic Electric Gun)  
 Fusil Airsoft Electro Mecánico  
 Reproducción en peso, forma y empuñadura de FALCON M95  
 Barcode ean : 5707843096683 skuASG 19919  
 Calibre 6 mm plastic BB  
 Color negro  
 Longitud: 74 cms  
 Longitud del cañón: 24 cms  
 Capacidad: 180 Rondas / Balines  
 Batería: 17206, 19365  
 Estándar magazine: 19310  
 Hop up tipo: ajustable  
 Velocidad: 106 m/s  
 Peso: 2.400 gramos  
 Energía: 1 joule  
 Hop-up ajustable  
 Batería de litio y cargador incluidos  
 Indicador de carga de batería  
 Quick charge (mail spring)  
 Unidad MOSFET optimiza flujo eléctrico  
 Cuerpo de polímero ligero, rígido y durable (FPV – Full polymer version)  
 Mira abierta con puntos de fibra  
 Rail Picatini de 4 caras  
 Spring resorte M95 instalado, M120 adicional en el empaque  
 Rifle ambidiestro  
 Culatín extensible y plegable  
 Gearbox para fácil cambio de indoor a outdoor muzzle  
 Con hebillas para fijar una correa  
 Recuerde leer las instrucciones antes de usar  
 Extenso manual online en ASG  
 Kit de accesorios incluido en envase  
 Diseño basado en:  
 El FN FAL es un fusil automático ligero (Fusil Automatique Léger) desarrollado en Bélgica por FN Herstal, en 1940, y es conocido como «el brazo derecho del mundo libre» debido a su amplia adopción. Se produjo bajo licencia en varios países y se utilizó en conflictos como la Guerra de las Malvinas.



**Precio: \$289900**

